



SWADLING

BRASSWARE

INSTALLATION INSTRUCTIONS

Absolute Deck Mount 3 Hole Basin Mixer

3 Spout Heights, 3 Spout Lengths

62000

SPOUT LENGTH

HEIGHT		Standard	Medium	Long
	Standard	11RDX	12RDX	13RDX
	Medium	21RDX	22RDX	23RDX
	Tall	31RDX	32RDX	33RDX




IMPORTANT INSTALLATION INFORMATION

- Before Installation, please check all parts against the parts list on the back page of this booklet.
- Make sure that the parts are undamaged and that their finish is as expected.
- Should you find a faulty or damaged part, please be in touch with our Customer Services Team immediately using the contact details below.
- Any claim for faulty or damaged parts will require the affected part to be returned to Swadling Brassware for inspection and testing.
- No claim for damaged parts or issues with a product finish will be accepted after the product has been installed.


Swadling Brassware, Churchward Road, Yate, Bristol, BS37 5PL

Telephone: 01454 322888 **Email:** techsupport@swadlingbrassware.co.uk

DIMENSIONS




INSTALLATION



PARTS LIST

ALTERNATIVE SPOUT LENGTHS	
PART NUMBER	DIMENSION 'A'
SB0247	217mm (LONG)
SB0248	169mm (MEDIUM)
SB0249	121mm (STANDARD)

ALTERNATIVE SPOUT HEIGHTS	
PART NUMBER	DIMENSION 'B'
SB0214*	253mm (TALL)
SB0213*	153mm (MEDIUM)
SB0222	65mm (STANDARD)



GENERAL INSTALLATION TIPS

- Handle parts carefully and consider wearing gloves for living and brushed finishes.
- Only use water or soapy water to clean visible parts.
- Where silicone is required, only use neutral cure silicone.
- Chemicals should be kept away from this product. Splashes and sometimes vapours from household cleaning fluids, marble sealers and grout haze removers can cause damage.