SWADLING
BRASSWARE

INSTALLATION INSTRUCTIONS

Illustrious Wall Mount Basin Mixer with Curved Spout

9220006XH

Disc Suffix	
XH0 White Glass	**XH3** Mother of Pearl
XH2 Plain Brass	**XH6** Black Lip Pearl
	XH9 Black Glass

IMPORTANT INSTALLATION INFORMATION

- Before Installation, please check all parts against the parts list on the back page of this booklet.
- Make sure that the parts are undamaged and that their finish is as expected.
- Should you find a faulty or damaged part, please be in touch with our Customer Services Team immediately using the contact details below.
- Any claim for faulty or damaged parts will require the affected part to be returned to Swadling Brassware for inspection and testing.
- No claim for damaged parts or issues with a product finish will be accepted after the product has been installed.

Swadling Brassware, Churchward Road, Yate, Bristol, BS37 5PL
Telephone: 01454 322888 **Email:** techsupport@swadlingbrassware.co.uk

DIMENSIONS


200
19
54
54 - 84
HOT
M
COLD
23 - 54
160
x 3
1/2” BSP
1/2” BSP
+/- 0mm
Ø53.5
Ø53.5
35
35
SWADLING
BRASSWARE
COLD
Alternative inlet
(1/2” BSP)
100
100
Alternative
inlet
(1/2” BSP)

INSTALLATION







PARTS LIST

Alternative Disc options:

COLD INSERT	
COLOUR	PART No.
MOTHER OF PEARL	SB0017
BLACK LIP PEARL	SB0020
WHITE DISC	SB0010
BLACK DISC	SB0012
PLAIN BRASS	SB0690

HOT INSERT	
COLOUR	PART No.
MOTHER OF PEARL	SB0016
BLACK LIP PEARL	SB0019
WHITE DISC	SB0009
BLACK DISC	SB0011
PLAIN BRASS	SB0689



GENERAL INSTALLATION TIPS

- Handle parts carefully and consider wearing gloves for living and brushed finishes.
- Only use water or soapy water to clean visible parts.
- Where silicone is required, only use neutral cure silicone.
- Chemicals should be kept away from this product. Splashes and sometimes vapours from household cleaning fluids, marble sealers and grout haze removers can cause damage.